



# Pre Line Mower Model No.: B-12-35B&S Operation & Parts Manual

#### **GORDON BANNERMAN LIMITED**

41 Kelfield Street, Rexdale, ON M9W 5A3 Canada T: (416) 247-7875 F: (416) 247-6540 www.sportsturfmagic.com

# **Table of Contents**

| Cover Page             | 1 |
|------------------------|---|
| Table of Contents      | 2 |
| Welcome to Bannerman   | 3 |
| Warranty               | 4 |
| Work Safety            | 5 |
| Operating Instructions | 6 |
| Parts Diagram          | 7 |
| Parts List             | 8 |
| Contact                | 9 |

## Pre Line Mower (B-12-35B&S)

Dear Owner,

Welcome to Bannerman, the Home of Sports Turf Magic.

Your new **B-12-35B&S Pre Line Mower** is designed to meet your outfield line mowing requirements. The ease of operation and low maintenance will give you many trouble free hours of operation. Please make certain that you read and understand the important instructions for the assembly, adjustment, operations, safety, and maintenance contained in this manual. If there are any instructions which you do not fully understand, contact either your dealer or Bannerman Ltd. for clarification prior to using the unit.

When in need of replacement parts, specify the model and serial number of your **B-12-35B&S Pre Line Mowe** The serial plate that identifies your model number and the serial number is located between the rear wheels on the bottom chassis. To give you many years of service, regular preventative maintenance is required. Should you require further assistance, please feel free to contact your local Bannerman dealer or Bannerman directly.

Regards,

George Bannerman

George Baum R

**Corporate Secretary** 

## Warranty

**Bannerman Ltd.** warranties all Bannerman **B-12-35B&S Pre Line Mowers** that have been registered in our system, by receiving the Warranty Card & Declaration or Delivery Card completely filled out, via mail, fax, or email within 15 days of Date of Sale for Registration. Some dealers or distributors may do this on behalf of their customers, but it is the responsibility of the end user to make sure that the Warranty Card has been filled out and submitted to **Bannerman Ltd**. Warranty Cards are included in the package with this booklet, and are also able to be filled in and printed off of our website: **www. sportsturfmagic.com.** 

**Bannerman B-12-35B&S Pre Line Mowers** are covered by warranty when used properly, to be free from defects in material workmanship under normal use and service, for a period of 90 days. This warranty does not guarantee a particular service life of the product. Service life will vary with application, operating environment, level of maintenance and other factors beyond our control.

Bannerman's sole responsibly for the **B-12-35B&S Pre Line Mower** or parts determined to be defective and covered by this warranty, is limited to repairing, or replacing the product or part.

Prior authorization from Bannerman Ltd. must be obtained, before replacing or returning parts, or incurring any cost for labor. No charges for expense incurred in parts, labor or transportation, by unauthorized persons will be allowed under this warranty. Bannerman Ltd, reserves the right to request the return of any part or assembly (with transportation charges prepaid) claimed to be covered under this warranty.

**Bannerman Ltd.** shall not be liable, in event, for proximate, incidental, consequential, special or other damages, including, but not limited to, damages for loss of production, loss of profit, loss of opportunity, or injury to persons or property arising out of any breach of this warranty.

THERE ARE NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING THE WARRANTY OF MERCHANTABILITY, WARRANTY OF FITNESS FOR PARTICULAR PURPOSE, OR ANY OTHER WARRANTY EXTENDING BEYOND THAT SET FORTH ABOVE.

#### **GORDON BANNERMAN LIMITED**

41 Kelfield Street, Rexdale, M9W 5A3 Ontario, Canada

## **CONTACT US:**

CAN 1-800-325-4871 USA 1-800-665-2696 info@sportsturfmagic.com

#### **GORDON BANNERMAN LIMITED**

41 Kelfield Street, Rexdale, ON M9W 5A3 Canada T: (416) 247-7875 F: (416) 247-6540 www.sportsturfmagic.com

# **Work Safely - Follow These Rules!**

-A careful operator is the best insurance against an accident-

Be sure to pay proper attention to these instructions concerning your personal safety. Be sure to observe and follow these instructions

## Warning: Before handling any equipment, read this operation manual

- 1. Do not wear loose fitting clothing that may catch in moving parts
- 2. Use extreme care when making adjustments
- 3. Always use the proper tools or equipment for the job at hand
- 4. Before and during operation the area should be checked to assure that it is clear of obstacles, hazards and personnel
- 5. Extreme caution should be exercised when the operating close to ditches, fences, or on hill sides
- 6. Hands, feet, clothing, and other objects must be kept away from all moving parts
- 7. Always read the operating instructions carefully and understand the controls before commencing work
- 8. Safety guards are supplied for your protection. Use them and make sure they are correctly in position
- 9. Before starting work always visually check machines for damage or wear to working parts
- 10. Do not allow any unauthorized person to handle machines in any way at any time.

# **Operating Instructions**

We want you to obtain the best performance from this implement. If you have any difficulty in carrying out the following instructions please contact us or your local representative or dealer.

## **Operating Principle**

To achieve a perfect finish to the outfields, and to reduce the paint or chalk volume necessary to paint or chalk lines. Since the path of the pre line mower is lower than the regular height of cut, which grows at different speeds, the lining may not need to be done as often with regular trimming.

## **Operating the Pre Line Mower**

Before starting the engine, check the oil level in the engine, grease the wheel axles, and top up the engine with fuel.

Check the height of cut – measure the distance from the blade tip to the floor (level surface). Always set height of cut using the hole pattern in the side frames. Set the height of cut 1/2" to 3/4" below the regular mowing height. Note: the front wheel must always be located 1 hole higher than the adjustment of the rear wheels; this allows the mower to be set approximately 5 degrees downhill.

#### Please Note:

- Always cut with a sharp blade.
- It may be necessary to cut in two directions to clear the area to be lined of clippings.
- It may be necessary to use a string line or dotted paint line as a guide when cutting.

## Maintenance


Before starting the engine, check the oil level in the engine, grease the wheel axles, and top up the engine with fuel.

Check for any loose nuts or bolts.

## **Bannerman Pre Line Mower**

**GORDON BANNERMAN LIMITED** 

# Model no.: B-12-35B&S



## **GORDON BANNERMAN LIMITED**

41 Kelfield Street, Rexdale, ON M9W 5A3 Canada T: (416) 247-7875 F: (416) 247-6540 www.sportsturfmagic.com

# Pre Line Mower (B-12-35B&S)

| Item<br>No. | Part Number | Description                       | Qty |
|-------------|-------------|-----------------------------------|-----|
| 1           | 01211       | Operator Presence Bail Control    | 1   |
| 2           | 01221       | Handle, Upper                     | 1   |
| 3           | 01226       | Bracket, Cable                    | 1   |
| 4           | 01900       | Frame, Main                       | 1   |
| 5           | 01901       | Handle, Lower                     | 1   |
| 6           | 01903       | Guard, Side                       | 2   |
| 7           | 01904       | Axle, Front                       | 1   |
| 8           | 01905       | Axle, Rear                        | 1   |
| 9           | 01906       | Spacer, Rear                      | 1   |
| 10          | 01907       | Spacer, Front                     | 1   |
| 11          | 01909       | Blade Hub                         | 1   |
| 12          | 01910       | Blade                             | 1   |
| 13          | 01911       | Cable                             | 1   |
| 14          | 02002       | Screw, HHC 5/16" -18 X 1"         | 10  |
| 15          | 02003       | Washer, Lock 5/16"                | 1   |
| 16          | 02004       | Nut, Nylon Insert 5/16" -18       | 10  |
| 17          | 02005       | Washer, SAE 5/16"                 | 20  |
| 18          | 02009       | Washer, Fiber                     | 1   |
| 19          | 02016       | Key, Woodruff #6                  | 1   |
| 20          | 02027       | Wheel                             | 3   |
| 21          | 02030       | Grease Fitting, Straight 1/4" -28 | 3   |
| 22          | 03032       | Washer, SAE 1/2"                  | 14  |
| 23          | 03057       | Screw, HHC 5/16" -18 X 1-1/2"     | 1   |
| 24          | 11251       | Nut, Nylon Insert 1/2" -20        | 2   |
| 25          | 11232       | Screw, Self Tapping 10 -16        | 1   |
| 26          |             | Screw, HHC 3/8" -24 X 2"          | 1   |
| 27          | 02082       | Grip, Upper Handle                | 2   |
| 28          | 02010       | Washer, Steel Compression         | 1   |

### **GORDON BANNERMAN LIMITED**



A Division of Gordon Bannerman Limited

# "The Home of Sportsturf Magic"

Scan the QR code below to visit our website



Or visit www.sportsturfmagic.com

For any Questions, Customer Support or General Inquiries, please email info@sportsturfmagic.com